

# Safety Data Sheet - SDS

according to Regulation (EC) No.1907/2006

## Finger Prick Control Plasma

### 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND COMPANY.

#### 1.1 Product Identifiers.

**Product names/codes: Reference Plasmas.**

Finger Prick Control Plasma - Normal CFPN110  
Finger Prick Control Plasma - Abnormal CFPA120

**Index Number :** Not indexed in regulation (EC) No.1272/2008.  
**REACH No. :** Not required due to exemption from registration (below the annual tonnage for downstream user).  
**CAS Number :** Not indexed.

**1.2 Identified uses:** Used in blood coagulation for quality control (QC) of Diagen Rabbit Brain Capillary Reagent (RBCR030).

**1.3 Company :** **Diagnostic Reagents Ltd.**  
Wenman Road,  
Thame,  
Oxon, OX9 3NY,  
UK.

**Telephone :** +44(0)1844 212426  
**Fax :** +44(0)1844 216162  
**Email :** [sds@diagen.co.uk](mailto:sds@diagen.co.uk)

**1.4 Emergency Tel:** **+44(0)1844 212426 (Monday to Friday, 09.00 to 17.00)**

### 2. HAZARDS IDENTIFICATION.

**2.1 Classification of the substance or mixture according to regulation (EC) No 1272/2008 (EC-GHS/CLP).**

Not a dangerous substance according to GHS.

**2.2 Label Elements :**

**Labelling according to Regulation (EC) No 1272/2008 (CLP).**

The product does not need to be labelled in accordance with EC directives or respective national laws.

**2.3 Other hazards**

Potential biohazard, contains human source material. Handle as though capable of transmitting infectious agents. See section 16 for further information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS.

**3.1 Substances.**

Synonyms : Citrated Human Plasma

Component	Classification	Concentration
Human Citrated Plasma CAS No. N/A EC No. N/A	Not classified.	≥50%

**4. FIRST AID MEASURES.****4.1 Description of first aid measures.****General Advice.**

The product is miscible in water.

**If inhaled.**

Move the person into fresh air. If not breathing give artificial respiration.

**In case of skin contact.**

Wash the area with soap and plenty of water.

**In case of eye contact.**

Rinse the eye thoroughly as a precaution.

**If swallowed.**

Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed.**

Human plasma is considered non hazardous, however all known symptoms and effects are described in the labelling (section 2.2) and/or in section 11.

**4.3 Indication of**

No data available.

**5. FIRE FIGHTING MEASURES.****5.1 Extinguishing media.****Suitable extinguishing media.**

Water Spray, alcohol-resistant foam, dry chemical or Carbon dioxide.

**5.2 Special Hazards arising from the substance or mixture.**

Nature of decomposition products not known.

**5.3 Advice for firefighters.**

When entering any fire, please ensure the correct protective clothing and self contained breathing apparatus are worn.

**5.4 Further information.**

No data available.

**6. ACCIDENTAL RELEASE MEASURES.****6.1 Personal Precautions, protective equipment and emergency procedures.**

Use personal protective equipment. Avoid dust formation. Avoid inhaling dust. Ensure adequate ventilation. For personal protection see section 8.

**6.2 Environmental precautions.**

Do not allow product to enter the drains.

**6.3 Methods and materials for containment and cleaning up.**

Keep in suitable closed containers ready for disposal by incineration.

**6.4 Reference to other sections.**

For disposal see section 13.

**7. HANDLING AND STORAGE.****7.1 Precautions for safe handling.**

Avoid skin and eye contact. Avoid dust and aerosol formation. The product should be treated as potentially infectious.

**7.2 Conditions for safe storage, including any incompatibilities.**

Store according to manufacturers instruction in a cool place. Keep container tightly closed when storing. Store under inert gas. Moisture sensitive. The recommended storage temperature is 2 - 8°C, although for best results store deep frozen.

**7.3 Specific end use(s).**

Apart from those uses mentioned in section 1.2 no other specific uses are stipulated.

**8. EXPOSURE CONTROL / PERSONAL PROTECTION.****8.1 Control Parameters.****Components with workplace control parameters.**

This product contains no components with Workplace Exposure Limits (WELs).

**8.2 Exposure controls.****Appropriate engineering controls.**

Handle in accordance with good laboratory practice. Wash hands before breaks and immediately after handling this product.

**8.3 Personal protective equipment.****Eye/face protection.**

Eye protection is not necessary, however if required, use equipment tested and approved by government standards such as EN 166 (EU) or NIOSH (US).

**Skin protection.**

Handle with gloves. Gloves should be thoroughly checked before use. Use correct glove removal technique to avoid skin contact with this product. Dispose of any used gloves in accordance with applicable laws and Good Laboratory Practice (GLP).

Wash and dry hands thoroughly after use.

Protective gloves should adhere to the specifications detailed in EU directive 89/686/EEC and the derived standard EN374. A experienced Safety Officer should conduct a

**Body Protection.**

Wear impervious protective clothing, in this case a laboratory coat will suffice.

**Respiratory protection.**

Not required. For nuisance exposures use type P95 (US) or type P1 (EU EN143). Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**9. PHYSICAL AND CHEMICAL PROPERTIES.****9.1 Information on basic chemical and physical properties.**

<b>a) Physical state:</b>	Lyophilised cake, Straw colour.	<b>m) Relative density:</b>	Not available.
<b>b) Odour:</b>	Not available.	<b>n) Water solubility:</b>	Miscible with water.
<b>c) pH:</b>	Not available.	<b>o) Partition coefficient:</b>	Not available.
<b>d) Melting/freezing point:</b>	Not available.	<b>p) Auto ignition temp.</b>	Not available.
<b>e) Boiling point/range:</b>	Not available.	<b>q) Decomposition temperature</b>	Not available.
<b>g) Flash point:</b>	Not available.	<b>r) Viscosity</b>	Not available.
<b>h) Evaporation rate:</b>	Not available.		
<b>i) Flammability:</b>	Not available.		
<b>j) Explosive properties:</b>	Not available.		
<b>k) Vapour pressure</b>	Not available.		
<b>l) Vapour density</b>	Not available.		

**Other information:** Not available.

**10. STABILITY AND REACTIVITY.****10.1 Reactivity**

No data available

**10.2 Chemical Stability**

Stable under recommended storage conditions (See relevant Label/Instruction for use).

**10.3 Possibility of hazardous reactions**

No data available.

**10.4 Conditions to avoid:**

Extreme heat.

**10.5 Materials to avoid:**

No data available.

**10.6 Hazardous decomposition products**

Other decomposition products - no data available.

**11. TOXICOLOGICAL INFORMATION.****11.1 Information on toxicological effects****Acute toxicity:**

No data available.

**Skin corrosion/irritation**

No data available.

**Serious eye damage/irritation.**

No data available.

**Respiratory or skin sensitisation.**

No data available.

**Germ cell mutagenicity.**

No data available.

**Carcinogenicity.**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity.**

No data available.

**Specific target organ toxicity - single exposure.**

No data available.

**Specific target organ toxicity - repeated exposure.**

No data available.

**Aspiration hazard.**

No data available.

**Potential health effects.**

Potential biohazard, contains human source material.

**Additional information.**

RTECS: Not available.

**12. ECOLOGICAL INFORMATION**

- 12.1 Toxicity.**  
No data available.
- 12.2 Persistence/Biodegradability.**  
No data available.
- 12.3 Bioaccumulation potential.**  
No data available.
- 12.4 Mobility in soil.**  
No data available.
- 12.5 Other adverse effects.**  
No data available.

**13. DISPOSAL CONSIDERATIONS.****13.1 Waste Treatment methods.****Product.**

Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated Packaging.**

Dispose of as an unused product.

**14. TRANSPORT INFORMATION.****RID/ADR:**

UK Road Class:	-	UK Road Packaging Group:	-
UN No. (Road):	-	RID Class No.	-
Proper Shipping Name:	Not dangerous goods.	RID Pack Group:	-
		CEPIC TEC-R No.	-
Hazchem Code:	-	ADR Class:	-
ADR Class No.	-	ADR Label No:	-
ADR Pack Group:	-		

**IMDG:**

IMDG Class:	-	IMDG Pack Group:	-
UN No. (Sea):	-	MFAG:	-
Proper Shipping Name:	Not dangerous goods.	IMDG Page No:	-
EMS:	-		
Marine pollutant:	-		

**IATA:**

Air Class:	-	Air Pack Group:	-
UN Air No.	-		
Proper Shipping Name:	Not dangerous goods.		

- 14.6 Special precautions for user.**  
No data available.

**15. REGULATORY INFORMATION.**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.**  
No data available.
- 15.2 Chemical Safety Assessment.**  
A chemical safety assessment has not been carried out for this product.

**16. OTHER INFORMATION****Further Information**

Diagnostic Reagents plasmas are prepared from human plasma donations each of which have been individually tested and found to be negative for Hbs antigen, HCV and HIV antibodies by approved test methods. We recommend normal precautions should be taken for handling and disposal of potentially infectious material. All the above information is based on current knowledge at the time of publication and follows stipulated regulations. Diagnostic Reagents Ltd is not responsible for any errors or lack of information given in the above literature. The information contained in this SDS does not constitute an assessment of work place risks and is intended only as a guide to the appropriate precautionary handling of a material by a trained person using this product. The customer should undertake a formal COSHH assessment which should ensure that employees are aware of the hazards / precautions detailed in this SDS. The COSHH assessment should ensure that the recommended safety equipment is available and where applicable, that the exposure limits are not being exceeded. Diagnostic Reagents Ltd will not therefore be responsible for damages resulting from use of or reliance upon this information.