# **Safety Data Sheet - SDS**

according to Regulation (EC) No.1907/2006 (Ammended)

# **PCA Ratio Kits**

# 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND COMPANY.

#### 1.1 Product Identifiers.

Product name : PCA Ratio Kit & PCA Ratio Kit in FV Depleted Plasma.

Product codes : APCR390, APCV380

**Index Number**: Not indexed in regulation (EC) No.1272/2008.

**REACH No.** : Not required due to exemption from registration (below the annual tonnage for

downstream user).

CAS Number : Not indexed.

**1.2** Identified uses: To diagnose patients with Activated Protien C Resistance (APCr).

1.3 Company : Diagnostic Reagents Ltd.

Wenman Road,

Diagnostic Reagents Limited Thame,

Oxon, OX9 3NY,

UK.

 Telephone
 :
 +44(0)1844 212426

 Email
 :
 sds@diagen.co.uk

1.4 Emergency Tel: +44(0)1844 212426 Wonday to Friday, 09.00 to 17.00

# 2. HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture according to regulation (EC) No 1272/2008 (EC-GHS/CLP).

Not a dangerous substance according to GHS.

#### 2.2 Label Elements:

Labelling according to Regulation (EC) No 1272/2008 (CLP).

The product does not need to be labelled in accordance with EC directives or respective national laws.

# 2.3 Other hazards

None.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS.

#### 3.2 Mixtures.

Synonyms: Activated Protein C Resistance test

Component	Classification	Concentration
Phospholipid		
CAS No. 93384-34-0	Not classified.	≤4%
EC No. N/A		
Micronised Silica		
CAS No. 7631-86-9	Not classified.	≤1%
EC No. 310-194-1		
Agkistrodon contortrix contortix		
CAS No. N/A	Not classified.	≤0.001%
EC No. N/A		

## 4. FIRST AID MEASURES.

## 4.1 Description of first aid measures.

#### 4.1.1 First Aid Instructions.

Consult a physician. Show this SDS to the doctor in attendance.

#### If inhaled.

Move the person into fresh air. If not breathing give artificial respiration. Consult a physician.

# In case of skin contact.

Wash the area with soap and plenty of water. If a reaction occurs consult a physician.

# In case of eye contact.

Rinse the eye thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed.

Rinse mouth with water. Never give anything by mouth to an unconcious person. Consult a physician.

# 4.1.2 Specfic Fist Aid Advice

Immediate medical attention is not required after exposure, no delayed effects can be expected. Movement of the exposed individual from the area to fresh air not required. Removal and handling of clothing and shoes is not required. Personal Protective equipment for first aid responders is not a recommendation.

# 4.2 Most important symptoms and effects, both accute and delayed.

PCA Ratio Kit reagents are used in blood clotting assays. There are currently no chemical, physical or toxicological properties that have been thoroughly investigated.

# 4.3 Indication of any immediate medical attension and special treatment needed.

# 5. FIRE FIGHTING MEASURES.

# 5.1 Extinguishing media.

## Suitable extinguishing media.

Water Spray, alcohol-resistant foam, dry chemical or Carbon dioxide.

# 5.2 Special Hazards arising from the substance or mixture.

Nature of decomposition products not known.

# 5.3 Advice for firefighters.

When entering any fire, please ensure the correct protective clothing and self contained breathing apparatus are worn.

## 5.4 Further information.

No data available.

# 6. ACCIDENTAL RELEASE MEASURES.

#### 6.1 Personal Precautions

# 6.1.1 Personal precautions, protective equipment and emergency procedures for non-emergency personnel.

Use personal protective equipment in accordance with Good Laboratory Practice (GLP). Avoid dust formation. Avoid inhailing dust. Ensure adequate ventilation.

# 6.1.2 Personal Precautions, protective equipment and emergency procedures for emergency responders.

None required.

# 6.2 Environmental precautions.

Mop up any accidental spillages with a cloth and dispose of responsibly. Do not allow product to enter the drains.

## 6.3 Methods and materials for containment and cleaning up.

Sweep up and shovel, or vaccum, creating as little dust as possible. Once contained, hold in suitable, closed container for disposal.

## 6.4 Reference to other sections.

For handling and disposal see sections 8 and 13.

## 7. HANDLING AND STORAGE.

## 7.1 Precautions for safe handling.

Avoid skin and eye contact. Avoid dust and aerosol formation. Provide appropriate exhaust ventilation at places where dust is formed.

## 7.2 Conditions for safe storage, including any incompatibilities.

Store according to manufacturers instruction in a cool place. Keep container tightly closed when storing. The recommended storage temperature is 2-8°C.

# 7.3 Specific end use(s).

Apart from those uses mentioned in section 1.2 no other specific uses are stipulated.

# 8. EXPOSURE CONTROL / PERSONAL PROTECTION.

#### 8.1 Control Parameters.

## Components with workplace control parameters.

This product contains no substance with Workplace Exposure Limits (WELs).

# 8.2 Exposure controls.

## Appropriate engineering controls.

Handle in accordance with good laboratory practice (GLP). Wash hands before breaks and immediately after handling this product.

# 8.2.2 Individual protection measures, such as Personal Protective Equipment (PPE).

# Eye/face protection.

A face shield or safety glasses. Use equipment tested and approved by government standards such as EN 166 (EU) or NIOSH (US).

# Skin protection.

Handle with gloves. Gloves should be thouroughly checked before use. Use correct glove removal technique to avoid skin contact with this product. Dispose of any used gloves in accordance with applicable laws and Good Laboratory Practice (GLP).

Wash and dry hands thouroughly after use.

Protective gloves should adhere to the specifications detailed in EU directive 89/686/EEC and the derived standard EN374. A experienced Safety Officer should conduct a thourough assessment of any procedure using this product before proceeding.

# **Body Protection.**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or overalls as appropriate, to prevent skin contact. The extend of the protective equipment must be selected according to the concentration and the amount of substance being used.

## Respiratory protection.

For nusiance eposures use type P95 (US) or type P1 (EU EN143). Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## PHYSICAL AND CHEMICAL PROPERTIES.

# 9.1 Information on basic chemical and physical properties.

a) Physical state: Lyopilised cake j) Decomposition temp: Not available.

**b) Colour:** White **k) pH:** 7.3

c) Odourless. I) Kinematic viscosity: Not applicable.

d) Melting/freezing point Not available. m) Solubility: Complete in water e) Boiling point/range: Not available. n) Partition coefficient: Not available.

f) Flammability: Not available. o) Vapour pressure: Not available.

g) Lower and Upper
Not available.

p) Density
Not available.

Not available.

Not available.

explosion limit: q) Relative vapour density: Not available.

h) Flash Point: Not available.

r) Particle characteristics Not available.

i) Auto-Ignition Temp. : Not applicable.

**9.2** Other information: No relevant additional information required for for safe use is required.

## 10. STABILITY AND REACTIVITY.

# 10.1 Reactivity

No data available

## 10.2 Chemical Stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available.

# 10.4 Conditions to avoid:

Temperatures above 25°C.

## 10.5 Incompatible materials:

Strong oxidising agents.

## 10.6 Hazardous decomposition products

Other decomposition products - no data available.

# 11. TOXICOLOGICAL INFORMATION.

# 11.1 Information on toxicological effects

#### Acute toxicity:

LD50 (Agkistrodon contortrix contortrix venom), Intravenous, Mouse - 10.9mg/kg.

LD50 (Agkistrodon contortrix contortrix venom), Subcutaneous, Mouse - 25.6mg/kg.

LD50 (Agkistrodon contortrix contortrix venom), Intraperitoneal, Mouse - 10.9mg/kg.

#### Skin corrosion/irritation

# Serious eye damage/irritation.

No data available.

# Respiratory or skin sensitisation.

No data available.

# Germ cell mutagenicity.

No Data Available.

# Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Reproductive toxicity.

No data available.

# Specific target organ toxicity - single exposure.

No data available.

# Specific target organ toxicity - repeated exposure.

No data available.

## Aspiration hazard.

No data available.

# Potential health effects.

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritaion.

IngestionMay be harmful if swallowed.SkinMay cause skin irritation.EyesMay cause eye irritation.

# Signs and Symptoms of Exposure.

PCA Ratio Kit reagents are used in blood clotting assays. There are currently no chemical, physical and toxicological properties that have been thoroughly investigated.

# Additional information.

RTECS: N/A

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity.

No data available.

# 12.2 Persistence/Biodegradability.

No data available.

#### 12.3 Bioaccumulation potential.

# 12.4 Mobility in soil.

No data available.

## 12.5 Other adverse effects.

No data available.

# 13. DISPOSAL CONSIDERATIONS.

## 13.1 Waste Treatment methods.

# Product.

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator with an afterburner and scrubber.

# Contaminated Packaging.

Dispose of as an unused product.

# 14. TRANSPORT INFORMATION.

RID/ADR:			
UK Road Class:	-	UK Road Packaging Group:	-
UN No. (Road):	-	RID Class No.	-
Proper Shipping Name:	Not dangerous goods.	RID Pack Group:	-
		CEFIC TEC-R No.	-
Hazchem Code:	-	ADR Class:	-
ADR Class No.	-	ADR Label No:	-
ADR Pack Group:	-		
IMDG:			
IMDG Class:	-	IMDG Pack Group:	-
UN No. (Sea):	-	MFAG:	-
Proper Shipping Name:	Not dangerous goods.	IMDG Page No:	-
EMS:	-		
Marine pollutant:	-		
IATA:			
Air Class:	-	Air Pack Group:	-
UN Air No.	-		
Proper Shipping Name:	Not dangerous goods.		

## 14.6 Special precautions for user:

No data available.

# 15. REGULATORY INFORMATION.

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

# 15.2 Chemical Safety Assessment.

A chemical safety assessment has not been carried out for this product.

# **16. OTHER INFORMATION**

## **Further Information**

Materials used in the production of Phospholipid have passed both ante and post mortem inspection and have been passed fit for human consumption. Normal precautions should still be observed for potentially infectious material. All the above information is based on current knowledge at the time of publication and follows stipulated regulations. Diagnostic Reagents Ltd is not responsible for any errors or lack of information give in the above literature. The information contained in this SDS does not constitute an assessment of work place risks and is intended only as a guide to the appropriate precautionary handling of a material by a trained person using this product. The customer should undertake a formal COSHH assessment which should ensure that employees are aware of the hazards / precautions detailed in this SDS. The COSHH assessment should ensure that the recommended safety equipment is available and where applicable, that the exposure limits are not being exceeded. Diagnostic Reagents Ltd will not therefore be responsible for damages resulting from use of or reliance upon this information.

# **Safety Data Sheet - SDS**

according to Regulation (EC) No.1907/2006 (Ammended)

# Lyophilised Human Plasmas

# 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND COMPANY.

#### 1.1 Product Identifiers.

Product names/codes: Lyophilised Human Plasma

APCC400 - Activated Protein C (APC) Resistant Control Plasma

IDHP191 - Factor V Depleted Plasma (APCV380 only)

**Index Number**: Not indexed in regulation (EC) No.1272/2008.

**REACH No.** : Not required due to exemption from registration (below the annual tonnage for

downstream user).

CAS Number : Not indexed.

1.2 Identified uses: APCC400 - A positive control for reagent systems used for the detection of the

factor V Leiden mutation (FV:Q506).

IDHP191 - A FV depleted human plasma used to dilute the patient sample in

the test system used for the detection of the factor V Leiden mutation

1.3 Company :

Diagnostic Reagents Ltd.

Diagnostic Reagents Limited Wenman Road,

Thame,

Oxon, OX9 3NY,

UK.

 Telephone
 :
 +44(0)1844 212426

 Email
 :
 sds@diagen.co.uk

1.4 Emergency Tel: +44(0)1844 212426 Wonday to Friday, 09.00 to 17.00

## 2. HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture according to regulation (EC) No 1272/2008 (EC-GHS/CLP).

Not a dangerous substance according to GHS.

#### 2.2 Label Elements:

Labelling according to Regulation (EC) No 1272/2008 (CLP).

The product does not need to be labelled in accordance with EC directives or respective national laws.

#### 2.3 Other hazards

Potential biohazard, contains human source material. Handle as though capable of transmitting infectious agents. See section 16 for further information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS.

#### 3.1 Substances.

Synonyms : Citrated Human Plasma

Component	Classification	Concentration
Human Citrated Plasma		
CAS No. N/A	Not classified.	≥99%
EC No. N/A		

# 4. FIRST AID MEASURES.

# 4.1 Description of first aid measures.

#### 4.1.1 First Aid Instructions

The Product is miscible in water, washing the area with soap and water will remove any trace.

#### If inhaled.

Move the person into fresh air. If not breathing give artificial respiration.

## In case of skin contact.

Wash the area with soap and plenty of water.

# In case of eye contact.

Rinse the eye thoroughly as a precaution.

# If swallowed.

Rinse mouth with water. Never give anything by mouth to an unconcious person. Consult a physician.

# 4.1.2 Specfic Fist Aid Advice

Immediate medical attention is not required after exposure, no delayed effects can be expected. Movement of the exposed individual from the area to fresh air not required. Removal and handling of clothing and shoes is not required. Personal Protective equipment for first aid responders is not a recommendation or requirement.

# 4.2 Most important symptoms and effects, both accute and delayed.

Human plasma is considered non hazardous, however all known symptoms and effects are described in the labelling (section 2.2) and/or in section 11.

# 4.3 Indication of any immediate medical attension and special treatment needed.

# 5. FIRE FIGHTING MEASURES.

# 5.1 Extinguishing media.

## Suitable extinguishing media.

Water Spray, alcohol-resistant foam, dry chemical or Carbon dioxide.

# 5.2 Special Hazards arising from the substance or mixture.

Nature of decomposition products not known.

## 5.3 Advice for firefighters.

When entering any fire, please ensure the correct protective clothing and self contained breathing apparatus are worn.

#### 5.4 Further information.

No data available.

## 6. ACCIDENTAL RELEASE MEASURES.

# 6.1 Personal Precautions, protective equipment and emergency procedures.

Use personal protective equipment. Avoid dust formation. Avoid inhailing dust. Ensure adequate ventilation. For personal protection see section 8.

## 6.2 Environmental precautions.

Do not allow product to enter the drains.

## 6.3 Methods and materials for containment and cleaning up.

Keep in suitable closed containers ready for disposal by incineration.

# 6.4 Reference to other sections.

For disposal see section 13.

# 7. HANDLING AND STORAGE.

# 7.1 Precautions for safe handling.

Avoid skin and eye contact. Avoid dust and aerosol formation. The product should be treated as potentially infectious.

# 7.2 Conditions for safe storage, including any incompatibilities.

Store according to manufacturers instruction in a cool place. Keep container tightly closed when storing. Store under inert gas. Moisture sensitive. The recommended storage temperature is 2 - 8°C.

## 7.3 Specific end use(s).

Apart from those uses mentioned in section 1.2 no other specific uses are stipulated.

# 8. EXPOSURE CONTROL / PERSONAL PROTECTION.

#### 8.1 Control Parameters.

## Components with workplace control parameters.

This product contains no components with Workplace Exposure Limits (WELs).

# 8.2.1 Exposure controls.

## Appropriate engineering controls.

Handle in accordance with good laboratory practice. Wash hands before breaks and immediately after handling this product.

## 8.2.2 Personal protective equipment.

# Eye/face protection.

Eye protection is not necessary, however if required, use equipment tested and approved by government standards such as EN 166 (EU) or NIOSH (US).

# Skin protection.

Handle with gloves. Gloves should be thouroughly checked before use. Use correct glove removal technique to avoid skin contact with this product. Dispose of any used gloves in accordance with applicable laws and Good Laboratory Practice (GLP).

Wash and dry hands thouroughly after use.

Protective gloves should adhere to the specifications detailed in EU directive 89/686/EEC and the derived standard EN374. A experienced Safety Officer should conduct a thourough assessment of any procedure using this product before proceeding.

# **Body Protection.**

Wear impervious protective clothing, in this case a laboratory coat will suffice.

# Respiratory protection.

Not required. For nusiance exposures use type P95 (US) or type P1 (EU EN143). Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# 9. PHYSICAL AND CHEMICAL PROPERTIES.

# 9.1 Information on basic chemical and physical properties.

a) Physical state: Lyopilised cake j) Decomposition temp: Not available. b) Colour: Straw k) pH: 7.4 c) Odour: Odourless. I) Kinematic viscosity: Not applicable. d) Melting/freezing point Not available. m) Solubility: Complete in water e) Boiling point/range: n) Partition coefficient: Not available. Not available. f) Flammability: Not available. o) Vapour pressure: Not available. g) Lower and Upper Not available. p) Density Not applicable. explosion limit: q) Relative vapour density: Not available. Not available. r) Particle characteristics h) Flash Point: Not available.

Not applicable.

# **9.2 Other information:** Not available.

i) Auto-Ignition Temp. :

# 10. STABILITY AND REACTIVITY.

# 10.1 Reactivity

No data available

# 10.2 Chemical Stability

Stable under recommended storage conditions (See relevant Label/Instruction for use).

# 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid:

Extreme heat.

#### 10.5 Materials to avoid:

No data available.

# 10.6 Hazardous decomposition products

Other decomposition products - no data available.

# 11. TOXICOLOGICAL INFORMATION.

# 11.1 Information on toxicological effects

# Acute toxicity:

No data available.

# Skin corrosion/irritation

No data available.

# Serious eye damage/irritation.

No data available.

# Respiratory or skin sensitisation.

No data available.

# Germ cell mutagenicity.

No data available.

# Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Reproductive toxicity.

No data available.

# Specific target organ toxicity - single exposure.

# Specific target organ toxicity - repeated exposure.

No data available.

# Aspiration hazard.

No data available.

#### Potential health effects.

Potential biohazard, contains human source material.

#### Additional information.

RTECS: Not available.

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity.

No data available.

# 12.2 Persistence/Biodegradability.

No data available.

# 12.3 Bioaccumulation potential.

No data available.

# 12.4 Mobility in soil.

No data available.

# 12.5 Other adverse effects.

No data available.

# 13. DISPOSAL CONSIDERATIONS.

## 13.1 Waste Treatment methods.

## Product.

Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated Packaging.

Dispose of as an unused product.

# 14. TRANSPORT INFORMATION.

RID/ADR:			
UK Road Class:	-	UK Road Packaging Group:	-
UN No. (Road):	-	RID Class No.	-
Proper Shipping Name:	Not dangerous goods.	RID Pack Group:	-
		CEFIC TEC-R No.	-
Hazchem Code:	-	ADR Class:	-
ADR Class No.	-	ADR Label No:	-
ADR Pack Group:	-		

IMDG:			
IMDG Class:	-	IMDG Pack Group:	-
UN No. (Sea):	-	MFAG:	-
Proper Shipping Name:	Not dangerous goods.	IMDG Page No:	-
EMS:	-		
Marine pollutant:	-		
IATA:			
Air Class:	-	Air Pack Group:	-
UN Air No.	-		
Proper Shipping Name:	Not dangerous goods.		

## 14.6 Special precautions for user.

No data available.

# 15. REGULATORY INFORMATION.

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

No data available.

## 15.2 Chemical Safety Assessment.

A chemical safety assessment has not been carried out for this product.

# **16. OTHER INFORMATION**

## **Further Information**

Diagnostic Reagents Limited plasmas are prepared from human plasma donations each of which have been individually tested and found to be negative for Hbs antigen, HCV and HIV antibodies by approved test methods. We recommend normal precautions should be taken for handling and disposal ofpotentially infectious material. All the above information is based on current knowledge at the time of publication and follows stipulated regulations. Diagnostic Reagents Ltd is not responsible for any errors or lack of information give in the above literature. The information contained in this SDS does not constitute an assessment of work place risks and is intended only as a guide to the appropriate precautionary handling of a material by atrained person using this product. The customer should undertake a formal COSHH assessment which should ensure that employees are aware of the hazards / precautions detailed in this SDS. The COSHH assessment should ensure that the recommended safety equipment is available and whereapplicable, that the exposure limits are not being exceeded. Diagnostic Reagents Ltd will not therefore be responsible for damages resulting from use of or reliance upon this information.